


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

Scholar BETA

ppp duplicate proxy

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) [Recent articles](#)
Results 1 - 10 of about 845 for [ppp duplicate proxy](#). (0.11 seconds)**All Results**[H Schulzrinne](#)[G Pall](#)[M Grennan](#)[A Dutta](#)[J Taarud](#)[Duplicate MAC address check and dynamic MAC address allocation - group of 3 »](#)

C BOUCHAT, SJJ VAN DEN BOSCH, MFP TASSENT, EAC SIX ... - EP Patent 1,494,433, 2005 - freepatentsonline.com

... In the current situation, when a **duplicate** MAC address would ... address ('14' in Figure2). The **PPP** process subsequently ... any need for a special **proxy** and without ...[Cached](#) - [Web Search](#) - [Import into BibTeX](#)[Duplicate private address translating system and duplicate address network system - group of 4 »](#)

Y Sato, K Hiraoka, M Mori, T Miyata - US Patent 7,047,314, 2006 - Google Patents

... **ppp.ppp.ppp.ppp** ADDITIONAL *дaщ 4 5 6 ... network and also a **duplicate** of private addressesbetween ... relaying by means of the **Proxy** and NAT (NetworkAddress ...[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)[Router-based domain name system proxy agent using address translation - group of 3 »](#)

R Mwikalo, J Ronk, J Whittington, MR Saiz - US Patent 6,480,508, 2002 - Google Patents

... above, any changes to the global DNS addresses will be automatically handled by

the DNS **proxy** agent in the router. For instance, When **PPP** is supported on 20 ...[Cited by 5](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)[Wireless TCP Enhancement by Proxy - group of 2 »](#)

J Kangasharju - cs.helsinki.fi

... because often Point-to-Point Protocol (**PPP**) is used for ... But if the mobile host sends**duplicate** acknowledgments, indi ... that segments were lost, the **proxy** does a ...[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)[Solaris IP Duplicate Address Detection](#)

J Carlson - opensolaris.org

... IFF NOLOCAL flag, (b) unlikelihood of actual **duplicate** addresses on any ... ether pub"
commands, and automatically con- figured **proxy** ARP entries from pppd. ...[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)[Application Layer Mobility Proxy for real-time communication - group of 2 »](#)

PY Hsieh, A Dutta, H Schulzrinne - 3G Wireless 2003 - cchen1.et.ntust.edu.tw

... a new number to simulate a **PPP** address assignment ... Issues such as packet loss, **duplicate**packet detection ... forwarding techniques instituted at the mobility **proxy**. ...[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)[PatentView/EP1494433](#)

S Parent, S Changes, G Info - gauss.ffii.org

... In the current situation, when a **duplicate** MAC address would ... address ('14' in Figure2). The **PPP** process subsequently ... any need for a special **proxy** and without ...[Cached](#) - [Web Search](#) - [Import into BibTeX](#)[Scalable Video Delivery to Unicast Handheld-based Clients - group of 5 »](#)

RKY Chow, CK Tham - Proceedings of the IEEE International Conference on Networks, 2000 - doi.ieeeecs.org

... The number of **duplicate** unicast data transmission streams increases with the numberof clients. ... RAS server multicast-to-unicast **proxy** gateway **PPP** ...[Cited by 4](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)[AAA Working Group Pat R. Calhoun Internet-Draft Sun Microsystems, Inc. Category: Informational Allan ... - group of 3 »](#)

H Akhtar, W Bulley, M Network, IJ Haag - tools.ietf.org

... not supporting EAP 3.3.7 Example of **PPP** Client not ... This reduces the need to create**duplicate** user profiles ... three Diameter peers, one being a **proxy** or broker ...[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)[Client application considerations for low bandwidth communications using STANAG 5066](#)

AFR Gillespie, SE Trinder, DJ Brown - Military Communications Conference, 2001. MILCOM 2001. ..., 2001 - ieeeexplore.ieee.org

... using the IP client or the **PPP** client in ... the transport layer that identifies andremoves **duplicate** packets queued ... IP or using more efficient HF **proxy** agents to ...[Cited by 1](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Gooooooooooooo gle ►

Result Page:

12345678910 [Next](#)

ppp duplicate proxy

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) - [Images](#) - [Video](#) - [News](#) - [Maps](#) - [more »](#)

Scholar BETA

ppp duplicate

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) [Recent articles](#)
Results 1 - 10 of about 4,600 for **ppp duplicate**. (0.08 seconds)**All Results**[W Simpson](#)[T Kawasaki](#)[P CAYLEY](#)[D Clemmons](#)[Y Ozeki](#)
[A Factor Contained in Plasma Is Required for IGF Binding Protein4 to Potentiate the Effect of IGF-I ... - group of 2 »](#)

IGF kDa - JOURNAL OF CELLULAR PHYSIOLOGY, 1990 - doi.wiley.com

... Quiescent cultures were exposed to PDGF, EGF, or FGF (10 ng/ml) in 0.5% **PPP. Duplicate**

cultures received IGFBP-1(30 ng/ml) + IGF-I (10 ng/ml) only (a), each ...

[Cited by 23](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)
[Interaction of circulating cell-derived and plasma growth factors in stimulating cultured smooth ... - group of 3 »](#)

DR Clemmons - Journal of Cellular Physiology, 1984 - doi.wiley.com

... were exposed to PDGF 50 ng/ml for 3 hr followed by 0.2 ml DMEM containing 0.5 pCi

r3H]thymidine and 0.5% SM-C-deficient **PPP. Duplicate** cultures received ...[Cited by 23](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)
[PPP LCP Extensions - group of 4 »](#)

W Simpson - 1994 - andrew2.andrew.cmu.edu

... For most **PPP** HDLC framed links, the default FCS is the CCITT 16- bit FCS. ... the lastnegotiated FCS, then change to the default FCS, and a **duplicate** LCP packet ...[Cited by 81](#) - [Related Articles](#) - [Cached](#) - [Web Search](#) - [Import into BibTeX](#)
[Effects of a-tocopherol on platelets and the coagulation system - group of 3 »](#)

I Bakaltcheva - Platelets, 2001 - Taylor & Francis

... containing 1 mM vitamin E or with autologous platelet-poor plasma (vitamin E dilution

with **PPP**). **Duplicate** measurements were done for each test. ...[Cited by 8](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[Duplicate MAC address check and dynamic MAC address allocation - group of 3 »](#)

C BOUCHAT, SJJ VAN DEN BOSCH, MFP TASSENT, EAC SIX ... - EP Patent 1,494,433, 2005 - freepatentsonline.com

... During **PPP** set-up the source MAC address is used as a session identifier. ... In thecurrent situation, when a **duplicate** MAC address would occur, the Broadband ...[Cached](#) - [Web Search](#) - [Import into BibTeX](#)
[IETF RFC 2284 PPP Extensible Authentication Protocol \(EAP\)](#)

PPPEAP EAP - dsv.su.se

... a Response to the initial Request (ie it's waiting for user input), it MUST silently

discard the **duplicate** Request. ... **PPP** Extensible Authentication Protocol (EAP ...[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)
[Configuring Point-to-Point Protocol over Ethernet - group of 12 »](#)

T Page - juniper.net

... host1(config-subif)#pppoe **duplicate**-protection 10 Assign an IP address and subnetmask to the PVC. ... Example host1(config-subif)#pppoe **duplicate**-protection ...[View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)
[... of communications using point to point protocols such that duplicate negotiations are avoided](#)

J Jayapalan, ME Qasim, S Ramanna - 2003 - freepatentsonline.com

... DETAILED DESCRIPTION OF THE INVENTION [0013] The present invention provides a technique

for establishing a **PPP** session such that **duplicate** negotiation loops ...[Cached](#) - [Web Search](#) - [Import into BibTeX](#)
[Network Working Group L. Blunk Request for Comments: 2284 J. Vollbrecht Category: Standards Track ... - group of 52 »](#)

PPPEAP EAP - digilander.libero.it

... Data Link Layer frame where the protocol field indicates type hex C227 (**PPP** EAP ... Ifa peer receives a **duplicate** Request for which it has already sent a Response ...[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)
[RFC 2284 \(RFC2284\)](#)

PPPEAP EAP - faqs.org

... Data Link Layer frame where the protocol field indicates type hex C227 (**PPP** EAP ... Ifa peer receives a **duplicate** Request for which it has already sent a Response ...[Related Articles](#) - [Cached](#) - [Web Search](#) - [Import into BibTeX](#)

Gooooooooooooo gle ▶


Result Page: **1 2 3 4 5 6 7 8 9 10** **Next**

ppp duplicate

Search

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#)

Results 1 - 10 of about 506 for ppp proxy prevent duplicate . (0.08 seconds)

- All Results**
- [R Fletcher](#)** [Solaris IP Duplicate Address Detection](#)
 J Carlson - opensolaris.org
 ... is changed, this does not **prevent** those applications from ... is to ferret out any
duplicates that might ... by the administrator, especially for pppd **proxy** ARP entries ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)
- [P Banthia](#)** [Engineering Mobile Proxy Design for Wide-Area Wireless - group of 5 »](#)
 R Chakravorty, I Pratt - newcastle.research.ec.org
 ... of the returning ACKs and hence **prevent** excess queuing at ... Mobile **Proxy** Radius Server
 Cambridge Computer Laboratory Firewall **PPP**-over-bluetooth **PPP**-over ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)
- [I Pratt](#)** [Application Layer Mobility Proxy for real-time communication - group of 2 »](#)
 PY Hsieh, A Dutta, H Schulzrinne - 3G Wireless 2003 - cchen1.et.ntust.edu.tw
 ... handoffs [8]. However, it still could not **prevent** the delay and ... a new number to simulate
 a **PPP** address assignment ... up the NAT functionality on the **proxy** server. ...
[Cited by 3](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)
- [A Cohen](#)** [Wireless TCP Enhancement by Proxy - group of 2 »](#)
 J Kangasharju - cs.helsinki.fi
 ... without proxies because often Point-to-Point Protocol (**PPP**) is used ... host have a large
 variance, and hence **prevent** it from e ... In this case the **proxy** can estimate ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)
- [Distributed remote monitoring \(dRMON\) for networks - group of 3 »](#)
 R Fletcher, P Banthia - US Patent 6,108,782, 2000 - Google Patents
 ... IS / dRMON Collector w/**proxy** 65a 51a ROUTER ... Nos. 08/506,533, 30 entitled METHOD AND
 APPARATUS FOR ASYNCHRO-NOUS **PPP** AND SYNCHRONOUS **PPP** CONVERSION, filed Jul. ...
[Cited by 58](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)
- [PS]** [Proxy-based Flow Aggregation for Enhanced TCP over GPRS - group of 5 »](#)
 R Chakravorty, S Katti, I Pratt, J Crowcroft - cl.cam.ac.uk
 ... and VI describe the experimental test setup and present an evaluation of our
proxy's ... Recovering from such cases required the **PPP** session to be terminated and ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)
- [Configuring L2F - group of 4 »](#)
 T Page - junipernetworks.com.mx
 ... the **PPP** session that performed the original **proxy** LCP must ... (Only IPv4 is supported
 for **PPP**.) ... ignore-receive-data-sequencing • Use to **prevent** sequence number ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)
- [Infrastructure of electronic information management - group of 6 »](#)
 GD Twitchell - Information Services and Use, 2004 - IOS Press
 ... s first line of defense to **prevent** attacks from ... **Proxy** firewalls are based on specific
 applications used, including http ... encapsulates a Point-to-Point (**PPP**) frame ...
[Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [Library Search](#)
- [Service selection in a shared access network](#)
 JW Garrett, CRJR Kalmanek, HQ Nguyen, KK ... - 2002 - freepatentsonline.com
 ... Filters may discard frames to **prevent** loops, or avoid ... UDP) may be unaware that the
 packets are **duplicates**. ... Concentrator (LAC) to act as a "proxy" **PPP** server on ...
[Cached](#) - [Web Search](#) - [Import into BibTeX](#)
- [PS]** [A transparent TCP performance enhancing proxy for mobile networks](#)
 JJ Cartwright - cl.cam.ac.uk
 ... The project plan was to develop the **proxy** using a ... The Linux **PPP** (point-to-point protocol)
 daemon was used ... appears to be a safety mechanism to **prevent** a large ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)

Google 

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)
Scholar [All articles](#) [Recent articles](#)

 Results 1 - 10 of about 343 for ppp wireless proxy prevent duplicate . (0.08 seconds)

All Results
[Wireless TCP Enhancement by Proxy - group of 2 »](#)
[G Xylomenos](#)

 J Kangasharju - cs.helsinki.fi
 ... proxies because often Point-to-Point Protocol (PPP) is used ... use of splitting proxies
 and a wireless link protocol ... keep as little state in the proxy as possible ...

[M Saaranen](#)
[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)
[G Polyzos](#)
[P Mahonen](#)
[R Chakravorty](#)
[Engineering Mobile Proxy Design for Wide-Area Wireless - group of 5 »](#)

 R Chakravorty, I Pratt - newcastle.research.ec.org
 ... a recovery strategy fine tuned for the wireless link results ... Mobile Proxy Radius
 Server Cambridge Computer Laboratory Firewall PPP-over-bluetooth PPP-over ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)
[TCP performance issues over wireless links - group of 14 »](#)

 G Xylomenos, GC Polyzos, P Mahonen, M Saaranen - Communications Magazine, IEEE, 2001 - ieeexplore.ieee.org
 ... into variable-size Point-to-Point Protocol (PPP) frames and then ... A protocol- enhancing
 proxy approach has been developed, the wireless adaptation layer ...
 Cited by 146 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[Application Layer Mobility Proxy for real-time communication - group of 2 »](#)

 PY Hsieh, A Dutta, H Schulzrinne - 3G Wireless 2003 - cchen1.et.ntust.edu.tw
 ... provide a new number to simulate a PPP address assignment ... and experimented an
 application layer mobility proxy over both wired and wireless networks and ...
 Cited by 3 - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)
[\(ps\) Wide-Area Wireless](#)

 R Chakravorty, I Pratt - cl.cam.ac.uk
 ... a recovery strategy fine tuned for the wireless link results ... Mobile Proxy Radius
 Server Cambridge Computer Laboratory Firewall PPP-over-bluetooth PPP-over ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)
[Flow Aggregation for Enhanced TCP over Wide-Area Wireless - group of 16 »](#)

 R Chakravorty, S Katti, J Crowcroft, I Pratt - ieeexplore.ieee.org
 ... Recovering from such cases required the PPP session to be ... with excessive buffering
 at the wired-wireless gateway, and have the proxy take responsibility ...
 Cited by 43 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[Enhancing Location Privacy in Wireless LAN Through Disposable Interface Identifiers: A Quantitative ... - group of 8 »](#)

 M Gruteser, D Grunwald - Mobile Networks and Applications, 2005 - Springer
 ... In addition, location privacy should not prevent a legitimate Home ... to only use address
 blocks used for wireless NICs. ... Link layer duplicate address detection ...
 Cited by 33 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)
[\(ps\) Proxy-based Flow Aggregation for Enhanced TCP over GPRS - group of 5 »](#)

 R Chakravorty, S Katti, I Pratt, J Crowcroft - cl.cam.ac.uk
 ... Recovering from such cases required the PPP session to be terminated and restarted. ...
 the wired-wireless gateway, and have the proxy take responsibility for ...
[Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#)
[Intelligent Handoff for Mobile Wireless Internet - group of 7 »](#)

 JCS Wu, CW Cheng, NF Huang, GK Ma - Mobile Networks and Applications, 2001 - Springer
 ... later via point- to-point protocol (PPP) and the TCP ... a right channel where a suitable
 neighbor proxy agent is ... IP extensions and a modified wireless LAN handoff ...
 Cited by 37 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)
[Using TCP flow-aggregation to enhance data experience of cellular wireless users - group of 7 »](#)


 R Chakravorty, S Katti, I Pratt, J Crowcroft - Selected Areas in Communications, IEEE Journal on, 2005 - ieeexplore.ieee.org
 ... Recovering from such cases required the PPP session to be ... split TCP aggregate approach
 of our proxy affords us ... detection of the nature of wireless losses, and ...
 Cited by 4 - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

Gooooooooooooo gle ►

 Result Page: **12345678910** [Next](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) [Recent articles](#)

Results 1 - 10 of about 5,470 for wireless message proxy protocol stack. (0.15 seconds)

All Results

[H Balakrishnan](#)

[S Seshan](#)

[R Katz](#)

[C Jones](#)

[D Johnson](#)

Improving reliable transport and handoff performance in cellular wireless networks - group of 21 »

H Balakrishnan, S Seshan, RH Katz - *Wireless Networks*, 1995 - Springer

... transmitted to this home address using **proxy ARP** ... Each BS periodically broadcasts a beacon **message** to all ... The MH also determines which **wireless** network cell it ...

[Cited by 528](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

Connecting Wireless Sensornets with TCP/IP Networks - group of 9 »

A Dunkels, J Alonso, T Voigt, H Ritter, J Schiller - ... of the Second International Conference on Wired/Wireless ... - Springer

... cryptography to authenticate both individual **messages** and routers ... by using a front-end **proxy**, DTN, or ... methods developed especially with **wireless** sensor networks ...

[Cited by 31](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Mobility support using SIP - group of 24 »

E Wedlund, H Schulzrinne - ... of the 2nd ACM international workshop on **Wireless** mobile ..., 1999 - portal.acm.org

... can improve the perfor- mance for realtime services in **wireless** networks, and ... calls

[S]. Entities in SIP are user agents, **proxy** servers and ... **Message** Name INVITE ...

[Cited by 203](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

[PS] Connecting Mobile Workstations to the Internet over a Digital Cellular Telephone Network - group of 7 »

M Kojo, K Raatikainen, T Alanko - *Proceedings of the Mobidata Workshop*, 1994 - cs.helsinki.fi

... operate with a sophisticated **proxy** when using ... mobility, a sophisticated communication

protocol may be ... The Mowgli **Wireless Message Protocol** (MWMP) is a special ...

[Cited by 63](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Experimental evaluation of a wireless ad hoc network - group of 8 »

S Desilva, SR Das - *Computer Communications and Networks*, 2000. *Proceedings*. ..., 2000 - ieeeexplore.ieee.org

... evaluation of a single one-hop **wireless** link for ... The above mechanism using **proxy**

ARP is very efficient ... every second in our testbed) broadcasts a hello **message**. ...

[Cited by 42](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

Improving lookahead in parallel wireless network simulation - group of 9 »

RA Meyer, RL Bagrodia - *Modeling, Analysis and Simulation of Computer and ...*, 1998 - ieeeexplore.ieee.org

... 2.2 **Wireless** Network Simulation ... in the GloMoSim model are analogous to the **proxy**

server just ... In the traditional null **message protocol**, the object will send an ...

[Cited by 20](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#)

Mobility management in wireless ATM networks - group of 5 »

A Acharya, J Li, B Rajagopalan, D Raychaudhuri - *Communications Magazine*, IEEE, 1997 - ieeeexplore.ieee.org

... this scenario, the base station runs a **proxy** UNI signaling ... BS1 forwards this **message**

to BS2 using a pre ... call admission control to check if the **wireless** link can ...

[Cited by 93](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

On Providing Support for Protocol Adaptation in Mobile Wireless Networks - group of 10 »

P Sudame, BR Badrinath - *Mobile Networks and Applications*, 2001 - Springer

... to indicate loss due to a lossy **wireless** link, and ... distillation can be performed

by the **proxy** server ... Whenever the requested events occur, a **message** is added to ...

[Cited by 35](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

The ENTRAPID protocol development environment - group of 13 »

XW Huang, R Sharma, S Keshav - *INFOCOM'99. Eighteenth Annual Joint Conference of the IEEE* ..., 1999 - ieeeexplore.ieee.org

... in a cluster- based server [9], **wireless** snoop protocols ... external processes by means

of a **proxy** process. ... any aspect of the entire **protocol stack** without having ...

[Cited by 55](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Mobility support in wireless Internet - group of 4 »

N Banerjee, W Wu, SK Das - *Wireless Communications*, IEEE [see also IEEE Personal ..., 2003 - ieeeexplore.ieee.org

... main entities in SIP are user agents, **proxy** servers, and ... OK: **Message** from client

to indicate that a successful ... IEEE **Wireless** Communications • October 2003 59 ...

[Cited by 31](#) - [Related Articles](#) - [Web Search](#) - [Import into BibTeX](#) - [BL Direct](#)

Gooooooooooooo gle ►

Result Page: **12345678910** **Next**

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google